
# PanDA for LSST/DESC: ImSim on Demand

Torre Wenaus, Jarka Schovancová

BNL Astro Group Meeting May 20, 2014



#### **PanDA**



#### **Global ATLAS PanDA operations:**

180k concurrent jobs, 1.5M jobs/day peak


- ~1400 ATLAS physicist users
- ~140 sites around the world

BNL's Physics Applications Software (PAS) group leads development of the PanDA workload management system with UT Arlington

# PanDA manages processing and data workflows for large scale data intensive computing

- 2005: Initiated for US ATLAS
- 2008: Adopted ATLAS-wide
- 2009: First use beyond ATLAS
- 2012: ASCR funding for Exascale BigPanDA
- 2013-14: New PanDA based ATLAS prod system
- 2014: New Event Service fine grained processing
- 2014: PanDA community growing in HEP, NP, cosmology... US and international (supp. slides)

#### ~ 180 k running jobs at peak





## PanDA Beyond ATLAS


# BigPanDA: Next Generation Workload Management and Analysis System for Big Data

- BNL PIs: Alexei Klimentov (lead), Sergey Panitkin, Torre Wenaus
  - ASCR + DOE HEP partnership funding a BNL/UT Arlington project
  - 3 FTEs funded FY12-FY14 (the work will carry over through FY15)
- Extending PanDA as a proven large-scale data-intensive workload management system to serve the exascale, big data communities
  - Lower the entry barrier for users to large scale processing
  - Close collaboration with ORNL on PanDA@Titan
  - Supporting the collaboration with SLAC LSST DESC for PanDA@LSST/DESC
- Turning PanDA into a generic product and service
  - PanDA refactoring, packaging for general use well advanced and ongoing
  - New generic PanDA instance in US, MySQL based, for OSG, others
    - Planning with OSG to evolve this into an OSG-hosted PanDA service
- Leveraging intelligent networking to make PanDA network-aware
  - Network awareness integrated into PanDA brokerage
- Work is well advanced, high marks from ASCR on progress in the latest briefing
- A challenge to keep up with growing interest



### PanDA on Diverse Resources

- Grid is the longstanding baseline
- Clouds in production: Amazon AWS, Google compute engine, research clouds (Openstack based)
  - Capability stands ready as cloud economics steadily improve
- Supercomputers have been/are being ported; many cycles available for crack-filling applications
  - ORNL Titan, ANL Mira, NERSC Hopper, XSEDE, EU machines
- Distributed storage via xrootd






# PanDA for LSST -- Background

- PanDA integrated with the SLAC DESC workflow pipeline in spring 2013, in a collaboration between BNL and SLAC (Tony Johnson the lead at SLAC), based on ATLAS PanDA
  - PanDA as gateway to diverse resources: initially BNL RACF and US ATLAS Tier 2
    (s), later OSG-wide, HPCs, clouds, ...
- Summer/Fall 2013: Generic PanDA service implemented in the Amazon cloud reimplementation of PanDA using MySQL
  - Work begun to move the pipeline integration to this infrastructure
- Dec 2013: Pipeline + PanDA taken as the basis for ImSim On Demand, chosen by DESC as a 'highlight project' for spring/summer 2014; close collaboration with SLAC on development
  - Prospective further project: integrating SLAC data catalog with PanDA
- Winter 2013: progress temporarily derailed by an unexpected departure from BNL PanDA team
- Now: BNL+SLAC blitzing to have first version of ImSim on Demand working and demonstrated at the DESC collab meeting in June
  - Weekly meetings with SLAC, steady attention & progress at SLAC & BNL




### **SLAC DESC Workflow Pipeline + PanDA**





# SLAC DESC Workflow Pipeline + PanDA + ImSim On Demand



# ImSim on Demand (Richard Dubois @ Dec '13 DESC meeting, Pitt)

#### **ImSim on Demand**

- PhoSim is easy to set up and run on a small system
  - Much harder to manage production on thousands of cores and worse on big MPI machines
- Work towards a simple web interface for running ImSim on demand, supplying a catalogue and PhoSim parameters
  - Fire off jobs into the ether and notify the user when done (or if action is needed to rerun any failed jobs)
- Make use of existing workflow tools
  - Workflow engine to run graph of jobs
  - data catalogue to record where the data went
  - Interfaces to GRID, HPC, clouds etc to find the cycles



# ImSim on Demand web interface mock-up Seeking input from prospective users

Job Name	tonyj-imsim-1
E-mail	tonyj@slac.staford.edu
Catalogs	List of catalogs
	Add Catalog Upload
	Add Catalog URL
	Add Standard Catalog
	Run catsim
Obsld	Drop down List from database
ObsSim Paramters	
Job Site	BNL IN2P3 NERSC SLAC Best Available



### **Data Access: xrootd**

- Distributed processing requires distributed data management
- PanDA is integrated with a HEP (and ATLAS) standard distributed data access tool called xrootd (SLAC developed)
  - Exposes data stores to distributed (as well as local) clients
  - Soon via http clients as well as via xrootd tools
- BNL astro's LSST disk space being made accessible via xrootd (Hiro Ito, RACF, in progress)
- Will allow PanDA to use this area as a data source/sink for LSST jobs, wherever they run
- Initially, data (file) cataloging is via PanDA's internal file catalog
- SLAC team working on an interface to their data catalog, integrated with the pipeline, that will allow PanDA to send file info to it



# Software access: CERNVM File System (CVMFS)

- Critical for distributed processing is an easy means of distributing the software
- We now have one, thanks to the CERNVM (virtual machine) project: CVMFS
- Together with an OSG-developed layer on top, OASIS
- Allows one central installation of the software to be propagated to OSG sites, available from worker nodes
- Path: /cvmfs/oasis.opensciencegrid.org/lsst/
- First SW package installed: phosim 3.3.2

/cvmfs/oasis.opensciencegrid.org/lsst/test.lsst/bnl/phosim/3.3.2/phosim-3.3.2 /cvmfs/oasis.opensciencegrid.org/lsst/test.lsst/bnl/phosim/3.3.2/phosim-3.3.2-modif-oasis.tar.gz



# phosim via PanDA

- Compile at BNL -> tarball in CVMFS -> access from a grid job
- Grid job test I cd \$PHOSIM\_DIR phosim ./examples/star -c ./examples/nobackground
  - Issue: memory consumption > 2 GB; Memory limit increased to 3 GB at BNL.
    - raytrace is the most expensive (RAM, CPU)
- In progress
  - Grid job test II

/nfs/slac/g/ki/ki06/lsst/djbard/LSST/IMSIM/1degrad-87393588/bdgals-fixed.dat

- pipeline task with phosim
- Memory consumption
  - What is a realistic LSST phosim input?
  - What is usual memory consumption pattern?



# **Processing Sites**

- LSST jobs are managed as OSG (Open Science Grid) jobs, VO=lsst
- First available site: BNL RACF ATLAS resources
  - ~15k job slots; resources available to non-ATLAS fluctuates but can be substantial during quiet ATLAS periods (which in principle should not exist but they do)
- Second: US ATLAS Tier 2 Center(s), starting with UT Arlington
  - Demonstrator/debug site to validate that LSST processing is gridenabled
  - When it is working, expand to other US ATLAS and OSG sites
- Third: IN2P3-CC plans to enable LSST PanDA processing
  - They are working on the pre-requisites (OASIS etc)
- And then... HPC (NERSC, ...)



### **Monitor - Users**

← → C 🔒 🗋 lsst.pandawms.org/lsst/users/

**LSST PanDA Monitor** 

Jobs Users

Sites

PanDA active user list for the last 60.0 days


transformation	lsst-trf-phosim332.sh (1) lsst-trf.sh (1)					
prodsourcelabel	panda (181) user (1)					
jobstatus	cancelled (138) failed (44)					
vo	Isst (182)					

Use	er	nJobs	nFinished	nFailed	nHolding	nCancelled	nQueued	nSites	nClouds	CPU
Jaro	oslava Schovancova	69	0	0	0	69	0	1	2	0
Jaro	oslava Schovancova LSST	113	0	44	0	69	0	5	1	754



Brought to you by the PanDA team. All times are in UTC. PanDA home BigPanDA home

### **Monitor - Jobs**



### **Monitor - Job details**



Download the job cache tarball containing the job execution scripts

Download the job sandbox tarball containing the files in the job's run directory (not yet available)

#### Job files

Filename	Туре	Size (bytes)	Status	Dataset	Attempt #
b334b7f9-faba-4675-8afd-96f17308c2a3.job.log.tgz	log	0	failed	panda.user.jschovan.lsst.425cc05a-dcc7-4e8e-be21-dfe2efab15cf	

#### Other key job parameters

Payload script (transformation)	http://pandawms.org/pandawms-jobcache/lsst-trf.sh
Exit code	0
Pilot ID	http://pilots1.pandawms.org:25880/2014-05-15/ANALY_BNL-LSST-gridgk01/50446.1.out gridgk01.racf.bnl.gov#6338344.0#1400180533 Condor PR SULU 58g
Batch ID	gridgk01.racf.bnl.gov#6338344.0#1400180533
Pilot error code	1137
Pilot error message	Ism-put failed (202): RUCIO_HOME env is not set. Set it to /cvmfs/atlas.cern.ch/repo/sw/ddm/rucio-clients/0.1.12 Info: Set RUCIO_AUTH_TYPE to x509_proxy [202] File srm://dcsrm.usatlas.bnl.gov:8443/srm/managerv2?SFN=/rucio/NULL/86/45/b334b7f9-faba-467
Output destination	local
CPU consumption time	353

#### All job parameters

batchid	gridgk01.racf.bnl.gov#6338344.0#1400180533
cloud	OSG
computingelement	ANALY_BNL-LSST
computingsite	ANALY_BNL-LSST
cpuconsumptiontime	353



### **Monitor - Sites**



LSST PanDA Monitor Jobs Users Sites

PanDA site list

#### Site attribute summary

category	analysis (2) multicloud (0) production (4) test (0)
status	offline (1) online (5)
region	US (6)

#### Site list

Site name	GOC site name	Region	Status	Tier	Max mem (MB)	Max time (hr)	Multicloud	Comment
ANALY_BNL-LSST	BNL-ATLAS	US	online	ТЗ				
BNL-LSST	BNL-ATLAS	US	online	ТЗ				
BNL-LSST-default	BNL-ATLAS	US	offline	ТЗ				
SWT2_CPB-LSST	SWT2_CPB	US	online	T2D	4096	90.0		HC.Blacklist.set.online
UTA_SWT2-LSST	UTA_SWT2	US	online	T2	4096	90.0		HC.Blacklist.set.online
ANALY_SWT2_CPB-LSST	SWT2_CPB	US	online	T2D				HC.Blacklist.set.online



Brought to you by the PanDA team. All times are in UTC. PanDA home BigPanDA home



# That's It! A work in progress.

- Your input on useful workloads to support would be most welcome
- It should be ready to try for any daring volunteers before the DESC collaboration meeting